

What Are the Best Dwarfing Rootstocks for HoneyCrisp Apple, with Bitter Pit in Mind

Win Cowgill

Professor Emeritus Rutgers University

Win Enterprises International, LLC

Megan Muehlbauer

Rutgers New Jersey Agricultural Experiment Station, Rutgers University

Honeycrisp apple has many challenges in growing it under commercial conditions, but one of the most difficult is the physiological disorder, bitter pit. Honeycrisp and some other varieties are very susceptible to this calcium deficiency disorder.

Bitter pit is a physiological disorder found in apple fruit. This is due to a lack of calcium in fruit cell walls which causes pitting of the fruit observed as discrete necrotic spots. This disorder can be particularly devastating in the high value cultivar Honeycrisp and can lead to 20-80% crop loss at harvest and/or after cold storage, see figures 1, 2.

Managing these many factors takes very close observation, and sometimes costly mitigation strategies. One of which is monthly sprays of calcium, which have been shown to have inconsistent control of the disorder.

Rootstock Selection

The discussions in this article will focus on dwarfing rootstocks for Tall Spindle Planting Systems.

B.9 has been the rootstock of choice in the western New York apple growing region for reduced bitter pit in Honeycrisp for the past 15 plus years. It produces one




Figure 1. Photo Credit: Fruitgrowernews.com



Figure 2. Left: Healthy apples no bitter pit. Right: Honeycrisp apples with bitter pit. Photo credit: researchgate.net.

The causes of bitter pit remain complex. It differs in severity based upon variety, calcium availability, summer temperatures, amount of shoot growth, and crop

load. Managing these many factors takes very close observation, and sometimes costly mitigation strategies. One of which is monthly sprays of calcium, which have been shown to have inconsistent control of the disorder.

of the smallest trees. We know this from past research, personal observation, and industry planting trends. However, note when B.9 is grown south of Lake Ontario it is more difficult to manage. This is true for even the Hudson Valley of NY. Also for NJ, VA and PA. In these states, B.9 tends to run out in the warmer climates. B.9 is highly precocious as is HoneyCrisp, the combination causes

trees to stop growing after they begin to crop, hence the term runt out. We need a rootstock about the size of M.9-337 that will impart bitter pit tolerance to the Honeycrisp variety grown in Tall Spindle.

NC-140 Rootstock Multistate Trials

To this end our NC140- our multistate rootstock project has been investigating different rootstocks for size control and their effect on bitter pit, especially on vulnerable varieties such as Honeycrisp. Evidence has shown that rootstocks have differing vigor and differing abilities to uptake nutrients specifically cations (K and Ca), resulting in less bitter pit incidence found in certain cultivars. However, rootstock vigor, growth can differ based on environment. Thus, over the course of 3 years we collected data on bitter pit incidence in two rootstock studies (2010 & 2014 NC140 plantings) at the Rutgers Snyder Research and Extension Farm in Pittstown NJ to determine the effect of rootstock on bitter pit incidence in different Honeycrisp scion combinations.

We also looked at NC140 data from two other states, Virginia Polytech (VPI) and Cornell University. At the Rutgers Snyder Farm:

- In NJ 2010 NC140 Rootstock trial B9 and B10 were equally good for controlling bitter pit at harvest, data not shown

- In NJ 2014 NC140 Rootstock trial B9 was not included.

- In NJ 2014 NC140 Rootstock trial, yield in pounds per tree was not significantly different between G.214, B10 and G.969 and were in line with all other rootstocks in this trial, Table 1.


Materials and Methods for NJ NC140 2014 HoneyCrisp Rootstock Planting

These trials were planted at these 3 locations above. Here were the parameters of the NJ, 2014 NC140 Hon-

eycrisp trail. It was planted at a spacing of 4' by 12' (907 trees per acre) and consisted of 14 different rootstocks (B.10, G.11, G.202, G.214, G.30, G.41, G.935, G.969, M.26 EMLA, M.9 NAKBT337, V.1, V.5, V.6, V.7). From 2014 to present the trees were managed in accordance with the commercial standards as written in the 2021/2022 New Jersey Tree Fruit Production Guide.

The trial was sampled during each of the following harvest seasons 2018, 2019, 2020. A total of 5 trees were sampled from each rootstock in the trial. At harvest a total of 50 random fruits were harvested from each tree. Each apple was rated for incidence of bitter pit and a total percentage of bitter pit (# of apples with bitter pit / 50 x 100) was recorded per tree. The samples were then loaded into bins and put into cold storage (37.4 °F) for 3 months. After three months the percent bitter pit incidence for each sample was recorded again.

Yield was recorded by tree and as well as the Trunk Cross Sectional Area to determine relative tree size in all 3 states. See Figure 3 and Table 1.



Discussion

Budagovsky rootstocks, referred to as Bud or B. (e.g., B.9 and B.10), were developed in the Soviet Union by crossing M.8 x Red Standard (Krasnij Standart). B.10 was developed at the Michurinsk University of Agriculture, Russia, from crossing B.9 X B.13-14.


Dr. Sheriff noted “it is worth mentioning that B.9 and B.10 share the same breeding origins, and the resistance of B.9 to bitter pit cannot be called into question.”

Table 1. The size of 'HoneyCrisp' trees on different rootstocks relative to M.9 T337 and M.26 EMLA.

Rootstocks	Tree vigor relative to M.9 T337	Tree vigor relative to M.26 EMLA
G.41	0.93	0.80
G.11	0.94	0.81
G.935	1.08	0.92
B.10	0.88	0.76
M.9 T337	1.00	0.86
G.214	1.49	1.28
G.969	1.65	1.42
G.30	1.87	1.60
V.1	1.93	1.66
V.5	2.10	1.80
V.7	1.96	1.69
V.6	2.30	1.98

to the Geneva Apple Rootstock Comparison Chart in the appendix.

In NJ, Figure 4 shows that rootstocks B.10, G.214 and G.969 had the lowest amount of bitter pit at harvest.



In Virginia, VPI- Figure 5 shows B.10 had the lowest incidence of bitter pit.

In NY, Dr. Terence Robinsons data (not shown) indicates the 2014 NC140 average bitter pit incidence (%) of 15 rootstocks between 2018 and 2022 matched NJ results. That is in NY, B.10, G.969, and G.214 stocks had the lowest bitter pit incidence of the 15 over 5 years. All three of these stocks had low to moderate

All three states -NJ, NJ, VA indicated B.10 is about the same size as M.9 T337. With G.214 and G.969 larger. See Figure 3 and Table 1 and refer

vigor measured by 5-year average TCSA increment measurement. Of the three in the period of 2018-2022, G.969 had the highest 5-year cumulative yield and the bitter pit free yield was nearly identical to the cumulative yield. Both B.10 and G.969 had high average fruit peel calcium (Ca) and low fruit peel K/Ca between the years of 2018-2020.

In conclusion, B.10 grown in NJ, NY and VA had the lowest incidence of Bitter Pit of the 14 and 15 rootstocks evaluated.

Dr. Sherif also commented that “B.10 stock is the most outstanding rootstock in VA. Particularly with regards to its ability to reduce bitter pit incidence at harvest and after three months in cold storage for five consecutive years (2017–2021). In addition, our nutrient analysis of Ca, K, and Mg in the skin and flesh of B.10, G.41 (moderately sensitive), and V.6 (very sensitive) revealed that B.10 had significantly higher levels of Ca and lower levels of K and Mg than


the other two rootstocks. Furthermore, additional biochemical analyses of cell wall components from the three rootstocks demonstrated that fruits from B.10 contained more free Ca, which is a far more significant factor than bound Ca, but is often disregarded by researchers.”

Recommendations for Honeycrisp Rootstocks

- B.9 – Excellent for Bitter pit, one of the smallest tree sizes, **preferred in Western New York** along Lake Ontario -Fireblight tolerant, **takes extensive high-quality management to grow and perform**

- **B.10- excellent for bitter pit, M.9 size, Fireblight tolerant, cold hardy, productive, tolerant to replant disease, moderate resistant to woolly apple aphid.**

- G.969- Excellent for Bitter pit, larger more vigorous than M.9, M.7 size- very resistant to fireblight, cold hardy, not susceptible to latent virus, tolerant of replant disease, tolerant of phytophthora, high resistance to Woolly apple aphid.




- G.214- Excellent for bitter pit, fireblight tolerant, slightly larger than M.9- smaller than M.26, very resistant to fireblight, cold hardy, not susceptible to latent virus, tolerant of replant disease, tolerant of phytophthora, high resistance to woolly apple aphid, consider for use, harder to find.

- Do not use G.41- Extensive bitter pit, remains juvenile and thus delays productivity in years 2-5 (shy bearer)

Do not use M.9 clones, fireblight issues.

Appendix



References

- Rootstock effects on bitter pit incidence in 'Honeycrisp' apples are associated with changes in fruit's cell wall chemical properties
- <https://www.researchgate.net/publication/364322647> Rootstock effects on bitter pit incidence in 'Honeycrisp' apples are associated with changes in fruit's cell wall chemical properties
- <https://bud10rootstock.com/>
- Big Breakthrough When It Comes To Bitter Pit and 'Honeycrisp' Apples
- <https://www.growingproduce.com/fruits/apples-pears/big-breakthrough-when-it-comes-to-bitter-pit-and-honeycrisp-apples/>
- Geneva Apple Rootstock Comparison Chart <https://ctl.cornell.edu/wp-content/uploads/plants/GENEVA-Apple-Rootstocks-Comparison-Chart.pdf>
- Rootstock effects on bitter pit incidence in 'Honeycrisp' apples are associated with changes in fruit's cell wall chemical properties
- <https://www.researchgate.net/publication/364322647> Rootstock effects on bitter pit incidence in 'Honeycrisp' apples are associated with changes in fruit's cell wall chemical properties

sociated with changes in fruit's cell wall chemical properties

- <https://bud10rootstock.com/>
- **Big Breakthrough When It Comes To Bitter Pit and 'Honeycrisp' Apples**
- <https://www.growingproduce.com/fruits/apples-pears/big-breakthrough-when-it-comes-to-bitter-pit-and-honeycrisp-apples/>
- **Geneva Apple Rootstock Comparison Chart**
<https://ctl.cornell.edu/wp-content/uploads/plants/GENEVA-Apple-Rootstocks-Comparison-Chart.pdf>
- Muehlbauer, M, W. Cowgill, 2023. 2023-2024 E002 New Jersey Commercial Tree Fruit Production Guide
- Cowgill, W.P., Jr., M. Muehlbauer 2023. 2022

New Jersey Tree Fruit Orchard Production Report and Expansion of the RMA Crop Insurance Program. [Horticultural News. Vol 103, NO.2](#)

Thank you to

- NC140 <http://nc140.org>
- Dr. Sherif- VPI
- Dr. Terence Robinson- Cornell
- New Jersey State Horticultural Society for Research Support of NC140 – nc140.org
- NJ Agricultural Experiment Station – Support of NC140
- Rutgers Snyder Research and Extension Farm

NOURSE
Delivering Quality

NourseFarms.com | 413-665-2658 | info@noursefarms.com

WE DELIVER
high-quality plants
so you can deliver a
high-quality
HARVEST.




Adams County Nursery, Inc.

Growers of Fruit Tree Nursery Stock

26 Nursery Road, Aspers, PA 17304

acn@acnursery.com • 717.677.8105 • www.acnursery.com





Fresher, Sweeter, Juicier

Peaches From Circle M Farms



*Exceptional quality and flavor at attractive prices
Brought to you from the 4th generation family
farm of Santo John Maccherone*

- PLU Stickers Available Upon Request
- Low in Calories
- Nutritious and Delicious
- Exceptional Flavor



SANTO SAYS...

"Peaches from Circle M Farms just plain taste better. Their size and color are what your customers want, and their flavor is the icing on the cake.

That's because our orchards are tended with care and attention, and their fruit is left on the tree to ripen naturally until they reach their optimum sweetness. Then they are picked by hand, taste-tested by me to ensure quality, and packed gently into

25 lb. volume boxes for shipping. Single layer cartons are available upon request.

Circle M's 30 varieties of peaches and nectarines are known for their sweetness and their luscious color. They look as good as they taste.

Discriminating customers appreciate our white flesh peaches because of their lower acid levels and supremely sweet taste.

Add it all up: Peaches from Circle M Farms are fresher and sweeter, picked by hand when their time has come, and packed with care for a longer shelf life.

Yellow, white and donut peaches and yellow and white nectarines are available early July to late September."



**Call us at 856 856 207-4542 or
609 381-6465. Fax your order to
856 878-0404**



Available in 16 oz. and 64 oz. sizes

**Made from fresh New Jersey Peaches
"Peach Cider Drink, Peach Salsa, Peach
Preserves"**

**Santo John Maccherone
circlemfarmsllc@gmail.com**

**Circle M Farms
88 Sandy Ridge Road
Salem, N.J. 08079**